

# NightFall Rcon Commands Documentation

## kickr

Name	kickr
Arguments	player_name reason
Description	Kick player name with reason
Example	<code>kickr RyBack "Abusing admins."</code> or <code>kickr RyBack "Noob"</code>

---

## clientkickr

Name	clientkickr
Arguments	player_num reason
Description	Kick player client num with reason
Example	<code>clientkickr 2 "Abusing admins."</code> or <code>clientkickr 2 "Noob"</code>

---

## banip

Name	banip
Arguments	ip
Description	Ban specified ip. Star mask is supported.
Example	<code>banip 192.168.*.*</code> or <code>banip 192.168.1.1</code>

---

## banipr

Name	banipr
Arguments	ip reason
Description	Ban specified ip with reason.
Example	<code>banip 192.168.*.*</code> or <code>banip 192.168.1.1</code>

---

## banid

Name	banid
Arguments	clientnum
Description	Ban specified clientnum.
Example	<code>banid 1</code>

---

## banidr

Name	banidr
Arguments	clientnum reason
Description	Ban specified clientnum with reason.
Example	<code>banidr 2 "Abusing admins."</code> or <code>banidr 2 "Noob"</code>

---

## unbanip

Name	unbanip
Arguments	ip
Description	Un-ban specified ip. Star mask is supported.
Example	<code>unbanip 192.168.*.*</code> or <code>unbanip 192.168.1.1</code>

---

## listips

Name	listips
Arguments	pagenum
Description	List ips in page number, page number starts from 1.
Example	<code>listips 5</code>

---

## banname

Name	banname
Arguments	name [any=0]
Description	Bans full name, to ban partial name, set any to 1
Example	<code>banname ass</code> to ban full name "ass" or <code>banname ass 1</code> to ban any names that contain "ass" like "assasin"

---

## unbanname

Name	unbanname
Arguments	name
Description	Un-bans name.
Example	<code>unbanname ass</code>

---

## listnames

Name	listnames
Arguments	pagenum
Description	List banned names in page number, page number starts from 1.
Example	<code>listnames 6</code>

---

## protname

Name	protname
Arguments	name password
Description	Protect specified name with password.
Example	<code>protname RyBack testpassword</code> or <code>protname "It's Me, Mario" "Mama Mia"</code>

---

## unprotname

Name	unprotname
Arguments	name
Description	Un-protect specified name.
Example	<code>unprotname RyBack</code> or <code>unprotname "It's Me, Mario"</code>

---

## listprotnames

Name	listprotnames
Arguments	pagenum
Description	List protected names in page number, page number starts from 1.
Example	<code>listprotnames 9</code>

---

## chatfilteradd

Name	chatfilteradd
Arguments	word
Description	Ban specified word from chat.
Example	<code>chatfilteradd fuck</code>

---

## chatfilterremove

Name	chatfilterremove
Arguments	word
Description	Un-ban specified word from chat.
Example	<code>chatfilterremove fuck</code>

---

## listchatfilter

Name	listchatfilter
Arguments	pagenum
Description	List banned chat words in page number, page number starts from 1.
Example	<code>listchatfilter 18</code>

---

## dischat

Name	dischat
Arguments	clientnum
Description	Disable chat for specified client number.
Example	<code>dischat 3</code>

---

## distaunt

Name	distaunt
Arguments	clientnum
Description	Disable taunts for specified client number.
Example	<code>distaunt 3</code>

---

## sayp

Name	sayp
Arguments	clientnum message
Description	Say private message as console to specified client number.
Example	<code>sayp 3 "Hello, Damn you!"</code>

---

## listadmins

Name	listadmins
Arguments	none
Description	List currently logged in admins.
Example	<code>listadmins</code>

---

## patchver

Name	patchver
Arguments	none
Description	Print current patch version.
Example	<code>patchver</code>

---